

Material Safety Data Sheet



COMPANY INFORMATION

| | | | |
|-------------------------|--|----------------------------|--|
| Company Name: | | Phone Number: | |
| Street/P.O. Box: | | Fax Number: | |
| City | | Emergency Phone: | |
| State | | MSDS Revision Date: | |
| Zip | | | |

Section 1 – IDENTIFICATION

| | | | |
|-------------------------|--|-------------------------|--|
| Company Name: | | Trade Name: | |
| Street/P.O. Box: | | Chemical Name: | |
| City | | | |
| State | | Chemical Family: | |
| Zip | | | |

Section II – PHYSICAL DATA

| | | | |
|---------------------------------|--|---|--|
| Boiling Point: | | Specific Gravity (water is 1) | |
| Percent Volatile: | | Evaporation Rate (Butyl Acetate is 1): | |
| Vapor Density (air is 1) | | PH (2% Solution) | |
| Solubility in Water | | Appearance & Odor | |
| | | | |

| Hazardous Components | OSHA PEL | ACGIH TLV | Other Limits | Percent |
|----------------------|----------|-----------|--------------|---------|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

Material Safety Data Sheet



Section III – HAZARDOUS INGREDIENTS

| CAS NUMBER | CAS NAMES | PERCENT |
|------------|-----------|---------|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

| | | |
|-----------------------------|--|-------------------------|
| TVL (Threshold Limit Value) | | Ppm (parts per million) |
|-----------------------------|--|-------------------------|

Section IV – FIRE AND EXPLOSION HAZARD DATA

| | | | |
|----------------------------------|--|--------------------------------|--|
| FLASH POINT | | | |
| Test Method - Closed Cup: | | Test Method - Open Cup: | |

| | | | |
|------------------------------|--|---------------|--|
| FLAMMABILITY LIMITS (IN AIR) | | | |
| Lower: | | Upper: | |

| | | | |
|---------------------|--|--|--|
| EXTINGUISHING MEDIA | | | |
| | | | |
| | | | |

| |
|-----------------------------------|
| SPECIAL FIRE-FIGHTING PROCEDURES: |
| |
| |
| |
| |

| |
|-------------------------------------|
| UNUSUAL FIRE AND EXPLOSIVE HAZARDS: |
| |
| |

Material Safety Data Sheet



Section V – REACTIVITY DATA

| | | | |
|---------------------------------|--|----------------------------------|--|
| Stability: | | Incompatibility | |
| Hazardous Decomposition: | | Hazardous Polymerization: | |

Section VI – FIRST AID

EFFECTS OF OVEREXPOSURE:

INHALATION:

EYE & SKIN CONTACT:

INGESTION:

OTHER FIRST AID INFORMATION:

| CARCINOGENICITY | NTP | IARC MONOGRAPHS | OSHA-REGULATED |
|-----------------|-----|-----------------|----------------|
| | | | |
| | | | |

SIGNS AND SYMPTOMS OF EXPOSURE:

Material Safety Data Sheet



Section VII – SPILL OR LEAK PROCEDURES

| |
|--|
| |
| |
| |

OTHER SPILL OR LEAK INFORMATION:

| |
|--|
| |
| |
| |

Section VIII – SPECIAL PROTECTION INFORMATION

| | | | |
|-----------------------|--|--------------------|--|
| VENTILATIONS | | | |
| Local Exhaust: | | Mechanical: | |

OTHER PROTECTIVE INFORMATION:

| |
|--|
| |
| |
| |

Section IX – SPECIAL PRECAUTIONS

| | | | |
|------------------------|--------------------------|--------------------------|--|
| HAZARD RATING | | | |
| (0) for LEAST. | (2) for MODERATE. | (4) for EXTREME. | |
| (1) for SLIGHT. | (3) for HIGH. | | |
| Fire: | | Toxicity: | |
| Reactivity: | | DOT Hazard Class: | |

Section X – FOOTNOTES

| |
|--|
| |
|--|